

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2039	(corba)	USPAT	OR	ON	2006/01/04 19:13
L2	27182	api or application adj2 interface	USPAT	OR	ON	2006/01/04 18:48
L3	1023	ldap or lightweight adj3 protocol	USPAT	OR	ON	2006/01/04 18:48
L4	234	(hash\$ or hashkey or hash adj2 (key or table) or hashtable) near8 (switch or router or bridge or hub)	USPAT	OR	ON	2006/01/04 19:04
L5	0	1 and 2 and 3 and 4	USPAT	OR	ON	2006/01/04 18:37
L6	0	1 and 2 and 4	USPAT	OR	ON	2006/01/04 18:37
L7	1067	1 and 2	USPAT	OR	ON	2006/01/04 18:37
L8	154	1 and 2 and 3	USPAT	OR	ON	2006/01/04 18:48
L9	96	8 and (configur\$ near3 (data or value or variable or program))	USPAT	OR	ON	2006/01/04 18:50
L10	1	8 and (configur\$ near3 (data or value or variable or program)).ab.	USPAT	OR	ON	2006/01/04 18:55
L11	154	1 and 2 and 3	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TDB	OR	ON	2006/01/04 18:48

L12	4960	(corba)	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:48
L13	62484	api or application adj2 interface	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:48
L14	4298	ldap or lightweight adj3 protocol	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:48
L15	525	(hash\$ or hashkey or hash adj2 (key or table) or hashtable) near8 (switch or router or bridge or hub)	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:49
L16	1	12 and 13 and 14 and 15	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:50

L17	399	12 and 13 and 14	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:50
L18	221	17 and (configur\$ near3 (data or value or variable or program))	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:50
L19	6	17 and (configur\$ near3 (data or value or variable or program)).ab.	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:54
L20	38	17 and (configur\$ near3 (data or value or variable)) near5 (configur\$ near3 (program or software or application))	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2006/01/04 18:55
L21	11	17 and (configur\$ near3 (data or value or variable)) near5 (configur\$ near3 (program or software or application))	USPAT	OR	ON	2006/01/04 18:55

L22	11	8 and (configur\$ near3 (data or value or variable)) near5 (configur\$ near3 (program or software or application))	USPAT	OR	ON	2006/01/04 18:56
L23	11	21 or 22	USPAT	OR	ON	2006/01/04 18:59
L24	2	"5832487".pn. or "6539381".pn.	USPAT	OR	ON	2006/01/04 19:00
L25	0	24 and (1 and 2)	USPAT	OR	ON	2006/01/04 19:00
L26	1	24 and (2 or 3)	USPAT	OR	ON	2006/01/04 19:00
L27	0	24 and (2 and 3)	USPAT	OR	ON	2006/01/04 19:00
L28	1	24 and (3)	USPAT	OR	ON	2006/01/04 19:01
L29	0	24 and (2)	USPAT	OR	ON	2006/01/04 19:01
L30	0	24 and (4)	USPAT	OR	ON	2006/01/04 19:01
L31	145	(hash\$ or hashkey or hash adj2 (key or table) or hashtable) near8 (switch)	USPAT	OR	ON	2006/01/04 19:05
L32	0	31 and key near2 value near2 pair	USPAT	OR	ON	2006/01/04 19:05
L33	423	key near2 value near2 pair	USPAT	OR	ON	2006/01/04 19:05
L34	43712	33 same hashtable or hash\$	USPAT	OR	ON	2006/01/04 19:05
L35	81	33 same (hashtable or hash\$)	USPAT	OR	ON	2006/01/04 19:06
L36	0	33 same (hashtable or hash\$) near8 switch\$4	USPAT	OR	ON	2006/01/04 19:06
L37	5	33 same (hashtable or hash\$) same switch\$4	USPAT	OR	ON	2006/01/04 19:06
L38	0	33 same (hashtable or hash\$) near10 (swtich or router or bridge)	USPAT	OR	ON	2006/01/04 19:07

L39	0	33 same (hashtable or hash\$) same (swtich or router or bridge)	USPAT	OR	ON	2006/01/04 19:07
L40	0	09/916323	US-PGPU B	OR	ON	2006/01/04 19:09
L41	1	"6782508".pn.	USPAT	OR	ON	2006/01/04 19:13
S1	9	((("6718332") or ("5958016") or ("6839748") or ("5958010") or ("5732218") or ("6047280") or ("5943662") or ("6044372") or ("20030046370"))).PN.	US-PGPU B; USPAT	OR	OFF	2006/01/04 19:09